

INDEX MAPS.

T. 7 N, R. 4 E. 2nd Mer.

	365-366	365-366	365-366	365-366	365-367	365-367
369	6 377 5 380 4 382 3 386 2 392 1 364					
	377	379	382	385	391	392
368	7 376 8 379 9 382 10 385 11 391 12 364					
	376	378	381	385	390	390
368	18 376 17 378 16 381 15 384 14 390 13 364					
	376	376	378	380	384	389
368	19 375 20 373 21 380 22 383 23 389 24 363					
	374	374	373	371	383	388
367	30 374 29 372 28 371 27 383 26 387 25 363					
	373	374	372	371	370	386
367	31 373 32 372 33 370 34 370 35 369 36 362					
	361	361	361	362	362	362

T. 8 N, R. 4 E. 2nd Mer.

	400	399-400	399-400	399-400	399-401	399-401
403	6 425 5 419 4 415 3 411 2 407 1 399					
	425	424	419	415	411	407
403	7 424 8 418 9 414 10 411 11 406 12 398					
	423	423	418	414	410	406
402	18 423 17 418 16 414 15 410 14 406 13 398					
	422	422	417	413	409	405
402	19 422 20 417 21 413 22 409 23 405 24 398					
	421	421	417	413	409	404
401	30 421 29 416 28 412 27 408 26 404 25 397					
	420	420	416	412	408	404
401	31 420 32 416 33 412 34 408 35 403 36 397					
	395	395-396	395-396	395-396	395-396	395-397

(C) The figures on the lines refer to the page.

Wanship N. 7^o North, Range N. 4 East I. Mer. Indiana

South Boundary. March 25th 1811

East	On S. boundary of Sec. 31, 57 N. R. 4 E.
8.00	a P. Oak 20 in. dia. at
32.50	a Brook 25 lbs. wide Course S. W.
40.00	At thw gr. Sec. post, from which
	a Dogwood 5 in. dia. bran N 43° E 71 lbs. dist. of
	a do 4 " " 170 E 16 "
80.00	Set a post Cor. to Sec. 31 & 32, from which
	a Beech 24 in. dia. bran N 36° E 20 lbs. dist. of
	a Gum 10 " " 133 E 28 "
	Sand middling quality, timber Oak, Beech &c.

East	On S. boundary of Sec. 32, 57 N. R. 4 E.
19.00	a Beech 15 in. dia. dead
35.50	a Brook 50 lbs. wide Course South
40.00	At thw gr. Sec. post, from which
	a Beech 11 in. dia. bran 151 ft 24 lbs. dist. of
	a Dogwood 6 " " 116 E 60 " "
52.50	a Beech 24 " "
62.25	a Brook 50 lbs. wide Course S. W.
80.00	Set a post Cor. to Sec. 32 & 33, from which
	a Gum 18 in. dia. bran 180 E 77 lbs. dist. of
	a Poplar 24 " " 137 ft 49 " "
	Sand timber &c. same as on the last mile

East	On S. boundary of Sec. 33, 57 N. R. 4 E.
21.00	a Brook 8 lbs. wide Course South
32.00	a Beech 15 in. dia.
40.00	At thw gr. Sec. post, from which
	a Beech 14 in. dia. bran 173 E 27 lbs. dist. of
	a do 17 " " 115 E 36 " "
50.00	a Brook 30 lbs. wide Course W
80.00	Set a post Cor. to Sec. 33 & 34, from which
	a Maple 6 in. dia. bran 128 ft 7 lbs. dist. of
	a W. Oak 20 " " 186 E 46 " "
	Level poor Oakland &c.

S. N. R. P. 4 E. D. Mer. Indiana

East On S. boundary of Sec. 34, S. N. R. P. 4 E.
 2.00 a W. Oak 25 in. dia.
 26.50 a Brook 12 lbs. wide course N.W.
 40.00 Set two q. Sec. post, from which
 a Hickory 10 in. dia. bran N 67° W 42 lbs. dist. of
 a Gum 18 " N 39° E 23 "
 80.00 Set a post cor. to Sec. 34 & 35, from which
 a Beech 11 in. dia. bran N 70° E 26 lbs. dist. of
 a W. Oak 9 " D 22 E 30 "
 Poor Oak land &c.

East On S. boundary of Sec. 35, S. N. R. P. 4 E.
 36.50 a Hickory 16 in. dia.
 40.00 Set two q. Sec. post, from which
 a Hickory 8 in. dia. bran N 10° W 8 lbs. dist. of
 a B. Oak 10 " N 60° W 25 "
 78.00 a W. Oak 24 "
 80.00 Set a post cor. to Sec. 35 & 36, S. N. R. P. 4, from which
 a Beech 16. in. dia. bran N 45° W 29 lbs. dist. of
 a Poplar 4 " D 40 W 30 "
 Poor Broken land, timber Beech, Maple &c

East On S. boundary of Sec. 36, S. N. R. P. 4 E.
 40.00 Set two q. Sec. post, from which
 a Beech 14 in. dia. bran N 35° W 15 lbs. dist. of
 an Ash 13 " N 46° E 17 "
 64.50 Set a post on Indian boundary line, from which
 a Beech 14 in. dia. bran N 25° E 14 lbs. dist. of
 a Do 11 " D 52 E 6 "
 Surveyed by Alexander Holmes, D.S.
 The last 22.56 by John McDonald, D.S.
 87.06 Intersected the N. S. line, at the corner of Town
 6 of N. Range 4 of 5 E. Land &c. same as last.

East Boundary var. 6.30' E.
North On E. boundary of Sec. 36, S. N. R. P. 4 E.

S. N. R. & E. L. Mer. Indiana

- 9.55 a Beech 24 in. dia.
 40.00 Set thw q. Sec. post, from which
 a Poplar 9 in. dia. bran 160 ft 8 in. dist. of
 a Do 7 " 158 ft 18 ".
 65.77 a Branch 8 in. wide Course N. E.
 69.06 Same 8 in. I.E.
 80.00 Set a post Cor. to Sect. 25 & 36, from which
 a W. Oak 30 in. dia. bran 125 ft 13 in. dist. of
 an Ironwood 4 " N 46 E 16 ".
 Land level, timber Beech & Oak, underg. Briar
 & Sassafras good Soil

- North On the E. boundary of Sect. 25, S. N. R. & E.
 7.57 a W. Oak 18 in. dia.
 30.03 a Hickory 15 ".
 40.00 Set thw q. Sec. post, from which
 a Beech 10 in. dia. bran N 40 W 7 in. dist. of
 a Do 15 " 152 ft 22 ".
 60.07 a W. Oak 15 in. dia.
 80.00 Set a post Cor. to Sect. 24 & 25, from which
 a Maple 18 in. dia. bran 15 ft 8 in. dist. of
 a W. Oak 48 " N 73 E 7 ".
 Level flat land, timber Beech, Hickory Maple
 etc. rich Soil.

- North On E. boundary of Sect. 24, S. N. R. & E.
 19.89 a Creek 40 in. wide Course I.E.
 25.07 a W. Oak 20 in. dia.
 40.00 Set thw q. Sec. post, from which
 a Beech 14 in. dia. bran N 88 W 16 in. dist. of
 a Do 9 " 142 E 30 ".
 this post stands in a creek 30 in. wide C. S. I.E.
 47.07 a W. Oak 18 in. dia.
 80.00 Set a post Cor. to Sect. 13 & 24, from which
 a Dogwood 6 in. dia. bran N 33 W 6 in. dist. of
 a W. Oak 13 " 153 E 3 "

S. N. R. C. E. D. Mer. Indiana
Land Broken, timber Beech, Oak &c.
mudgth spruce & birch good Soil

North On E. boundary of Sec. 13, S. N. R. C. E.
37.35 a Branch 8 in. wide Course S. E.
40.00 Set the q. Sec. post, from which
a Gun 18 in. dia. bran $140\frac{1}{2}$ lbs. dist. of
a Beech 8 " " $180\frac{1}{2}$ E 12 " "
45.02 a W. Oak 15 " "
77.45 a Beech 12 " "
80.00 Set a post Cor. to Sec. 12 of 13, from which
a Beech 10 in. dia. bran $137\frac{1}{2}$ lbs. dist.
a Poplar 9 " " 147 E 22 " .
First pr. mile broken last pr. mile level timb.
Beech, Poplar, Oak &c. Soil good

North On E. boundary of Sec. 12, S. N. R. C. E.
15.26 a Poplar 20 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bran $112\frac{1}{2}$ lbs. dist. of
a Hickory 18 " " 165 E 13 " "
50.90 a P. Oak 40 " .
80.00 Set a post Cor. to Sec. 13 of 12, from which
a Beech 12 in. dia. bran $131\frac{1}{2}$ lbs. dist. of
a Do 14 " " 132 E 23 " "
Land Broken, timber Beech, Angar, Poplar &c.
mudgth spruce &c. May 28th, 1819.

North On E. boundary of Sec. 1, S. N. R. C. E.
7.98 a Beech 14 in. dia.
10.54 a Creek 35 lbs. wide Course S. E.
15.22 a Do 50 " " N. E.
40.00 Set the q. Sec. post, from which
a Beech 9 in. dia. bran $118\frac{1}{2}$ lbs. dist. of
a Do 6 " " " Dist 15 " "
65.05 a Beech 15 " "

365

Sgt R.R. Co. I. Mer. Indiana

70.40 a Creek 50 ltrs. wide Course East
 72.97 Same 50 ltrs. " " S.W.
 74.63 Same 50 ltrs. " " N.E.
 80.00 Set a post Cor. to Township R. 7 of 8 North, Range
 R. 4 of 5 East, from which
 an Oak 13 in. dia. bran. 14 ft 2 in. dist. of
 a Hickory 10 " " \$10.00 .
 (Description Omitted)

North Boundary.

West On Rand. S. boundary of Sec. 36, T. 8 N. R. 4 E.
 3.35 a Creek 50 ltrs. wide Course S. E.
 40.00 Set tempy. of Sec. post
 80.00 Set tempy. Sec. post Cor. to Sec. 35 of 36, T. 8 N. R. 4 E.

West On Rand. S. boundary of Sec. 35, T. 8 N. R. 4 E.
 40.00 Set tempy. of Sec. post
 80.00 Set tempy. post Cor. to Sec. 34 of 35, T. 8 N. R. 4 E.

West On Rand. S. boundary of Sec. 34, T. 8 N. R. 4 E.
 33.60 a Branch 6 ltrs. wide Course S.W.
 40.00 Set tempy. of Sec. post
 78.80 a Branch 8 ltrs. wide Course S.W.
 80.00 Set tempy. post Cor. to Sec. 33 of 34, T. 8 N. R. 4 E.

West On Rand. S. boundary of Sec. 33, T. 8 N. R. 4 E.
 40.00 Set tempy. of Sec. post
 80.00 Set tempy. post Cor. to Sec. 32 of 33, T. 8 N. R. 4 E.

West On Rand. S. boundary of Sec. 32, T. 8 N. R. 4 E.
 5.40 a Branch 6 ltrs. wide Course South
 37.40 a Do 5 " " S.E.
 40.00 Set tempy. of Sec. post
 80.00 Set tempy. post Cor. to Sec. 31 of 32, T. 8 N. R. 4 E.

West On S. boundary of Sec. 31, T. 8 N. R. 4 E. on Rand.

S. 9 N. R. 8 E. 2nd Mer. Andian

- 40.00 Set temp^{ly}. of. Sec. post
 83.50 Set a post Cor. to Township N. 7th 8 North
 Range N. 3rd 4 E, from which
 a W. Oak 24 in. dia. bran N 64° E 41 lbs. dist.
 a Dogwood 4 " " " 163 lbs " .
-

- East On true line S. boundary of Sec. 31, S. 8 N. R. 4 E.
 43.50 Set the of. Sec. post on true line, from which
 a W. Oak 14 in. dia. bran N 39° E 23 lbs. dist.
 a Leo 20 " " - 43 lbs " "
 83.50 Set a post Cor. to Sect. 31 & 32, S. 8 N. R. 4 E, from which
 a Gom 13 in. dia. bran N 72° W 23 lbs. dist.
 a W. Oak 20 " " 135 lbs 32. .
-

- East On true line S. boundary of Sec. 32, S. 8 N. R. 4 E.
 40.00 Set the of. Sec. post from which
 a Beech 14 in. dia. bran N 28° E 06 lbs. dist.
 a Hickory 20 " " " 11 E 13 " .
 80.00 Set a post Cor. to Sect. 32 & 33, S. 8 N. R. 4 E, from which
 a Maple 8 in. dia. bran N 51° W 18 lbs. dist.
 a W. Oak 18 " " 157 E 14 " .
-

- East On true line S. boundary of Sec. 33, S. 8 N. R. 4 E.
 40.00 Set the of. Sec. post on true line, from which
 a W. Oak 15 in. dia. bran N 82° E 20 lbs. dist.
 a Leo 24 " " " 131 lbs " "
 80.00 Set a post Cor. to Sect. 33 & 34, S. 8 N. R. 4 E, from which
 a Span Oak 24 in. dia. bran N 82° E 39 lbs. dist.
 a W. Oak 18 " " 131 lbs " .
-

- East On true line S. boundary of Sec. 34, S. 8 N. R. 4 E.
 40.00 Set the of. Sec. post on true line, from which
 a W. Oak 10 in. dia. bran N 25° E 24 lbs. dist.
 a Leo 8 " " " 175 E 21 " "
 80.00 Set a post Cor. to Sect. 34 & 35, S. 8 N. R. 4 E, from which
 a W. Oak 14 in. dia. bran N 35° W 06 lbs. dist.

S. 7 N. T. C. 4 E. I. Mer Indiana

a W. Oak 12 in. dia. bran. N 21 E 19 lbs. dist. of

- East On true line S. boundary of Sec. 35, S 8 N. T. C. 4 E.
40.00 Set the gr. Sec. post on true line, from which
a W. Oak 8 in. dia. bran. N 66 E 14 lbs. dist. of
a Do 12 " " 181 ft 50 "
- 80.00 Set a post cor. to Sec. 35 & 36, S 8 N. T. C. 4 E., from which
a P. B. Oak 30 in. dia. bran. N 27 W 5 lbs. dist. of
a W. Oak 14 " " 156 ft 17 "

- East On true line S. boundary of Sec. 36, S 8 N. T. C. 4 E.
40.00 Set the gr. Sec. post on true line, from which
a Hickory 13 in. dia. bran. N 78 E 10 lbs. dist. of
a Do 12 " " 184 ft 39 "
- 80.00 Set a post cor. to Township N. 7 of 8 North
Range N. 4 of 5 East, from which
an Oak 13 in. dia. bran. N 49 W 21 lbs. dist. of
a Hickory 6 " " 110 ft 0 "

West Boundary. March 24th. 1891

- North On E. boundary of Sec. 36, S 7 N. T. C. 4 E.
8.00 a Brook 5 lbs. wide Course S. W.
28.00 a W. Oak 24 in. dia.
40.00 a W. Oak 15 in. dia. of Sec. corner, from which
a Beech 10 in. dia. bran. N 4 E 20 lbs. dist. of
a Gum 13 " " . N 12 W 45 " .
55.00 a W. Oak 12 " "
80.00 Set a post cor. to Sec. 25 & 36, S 7 N. T. C. 4 E., from which
a W. Oak 20 in. dia. bran. N 58 E 14 lbs. dist. of
a Do 12 " " . N 28 W 21 " .
Sand hill, timber Oak, Beech &c.

North On E. boundary of Sec. 25, S 7 N. T. C. 4 E.

- 25.00 a Brook 8 lbs. wide Course North
34.50 a Do 12 lbs. " " S. E.
38.00 a W. Oak 16 in. dia. in the line

S. N. R. & E. T. Mer. Indiana

- 40.00 At the g. Sec. post, from which
 a W. Oak 25 in. dia. bran. N 61° W 25 lk. dist. of
 a Dogwood 5 " " N 48° E 19 " "
 61.00 a W. Oak 13 " "
 74.50 a Brook 10 lk. wide Course N. E.
 80.00 At a post cor. to Sec. 24 & 25, S. N. R. & E. T. from which
 a Beech 10 in. dia. bran. N 64° E 10 lk. dist. of
 a Maple 18 " " J 84° W 10 " .
 Sand hilly, timber Oak &c.
-

- North On E. boundary of Sec. 24, S. N. R. & E. T.
 40.00 a Chest. Oak 17 in. dia. g. Sec. corner, from which
 a W. Oak 13 in. dia. bran. N 13° E 27 lk. dist. of
 a Hickory 8 " " J 20° W 18 " "
 46.50 a Brook 8 lk. wide Course E.
 61.00 a Beech 20 in. dia.
 80.00 At a post cor. to Sec. 13 of 24, S. N. R. & E. T., from which
 a Beech 10 in. dia. bran. N 75° W 14 lk. dist. of
 a Do 15 " " J 36° E 24 " .
 Poor hilly Oak & Beech timbered land
-

- North On E. boundary of Sec. 13, S. N. R. & E. T.
 15.00 a Chestnut Oak 15 in. dia.
 20.00 a Brook 6 lk. wide Course N. W.
 40.00 At the g. Sec. post, from which
 a W. Oak 8 in. dia. bran. S 50° E 11 lk. dist. of
 a Do 4 " " J 4° W 5 " "
 49.50 a Brook 15 lk. wide Course West
 60.00 a W. Oak 18 in. dia.
 80.00 At a post Cor. to Sec. 12 & 13, S. N. R. & E. T., from which
 a Beech 15 in. dia. bran. J 88° E 27 lk. dist. of
 a W. Oak 13 " " J 80° W 5 " .
 Poor hilly land, timbered Beech, Oak &c.
-

- North On E. boundary of Sec. 12, S. N. R. & E. T.
 2.50 a Brook 50 lk. wide Course West

S. N. R. & E. I. Mer. Indiana

- 8.75 a Beech 15 m. dia. bran
 30.75 intersected the Indian boundary set post
 from which an Ash 14 m. dia. bran 17' 8 1/2 ft. dist. of
 a Beech 13". . . N 77 E 18".
 Land of middling quality, timber Oak, Beech &c.
 43.81 Set the q. Sec. post, from which
 a W. Oak 12 m. dia. bran 15' 3" 17' 2 1/2 ft. dist. of
 a Red Oak 20". . . D 31 E 17".
 70.05 a Creek 25 ft. wide Course S. E.
 83.81 Set a post Cor. to Sec. 1 of 12, S. N. R. & E. from which
 a W. Oak 10 m. dia. bran 13' 1" 17' 2 1/2 ft. dist. of
 a Hickory 8". . . N 53 1/2 E 17".
 Land hilly, timber Oak, Hickory & Beech,
 under the Basswood

- North On E. boundary of Sec. 1, S. N. R. & E.
 4.10 a Branch 5 ft. wide Course N. E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 13 m. dia. bran 16' 8 1/2 ft. 4 1/2 ft. dist. of
 a Dogwood 20". . . N 58 1/2 E 58".
 81.00 Set a post Cor. to Township N. 7 of 8 North
 Range N. 3 of 4 E. from which
 a W. Oak 9 m. dia. bran 16' 4 1/2 ft. dist. of
 a Dogwood 4". . . D 63 1/2 E 6".
 Broken land, timber Oak, Beech &c.
 South of the Boundary Surveyed in 1811
 By Alexander Holmes, D. S.
 North of the Boundary Surveyed in 1819
 By John McDonald, D. S.

Subdivision

- North Between Sec. 35 & 36, S. N. R. & E.
 21.00 a Brook 12 ft. wide Course S. E.
 30.00 a Gum 10 m. dia.
 39.00 a Brook 12 ft. wide Course S. E.
 40.00 Set the q. Sec. post, from which

S. N. R. & E. D. Mer. Indiana

- 21 Beech 8 in. dia. bran 146 W 4 lbs. dist. of
an Ironwood 5 " " 19 E 12 " "
42.50 a Brook 12 lbs. wide Course S. E.
48.94 Set a post on the Indian boundary, from which
a Beech 12 in. dia. bran 154 W 8 lbs. dist. of
a Do 10 " " 148 E 33 " "
Land level & wet, timber Beech, Poplar &c.
-

North Between Sec. 34 & 35, S. N. R. & E. D.

- 40.00 Set the q. Sec. post, from which
a Dogwood 3 in. dia. bran 131 E 9 lbs. dist. of
a W. Oak 4 " " 188 W 10 " ".
80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
a Dogwood 5 in. dia. bran 154 E 12 lbs. dist. of
a Beech 20 " " 145 W 23 " ".
Very hilly thin Soil, timber Oak & Hickory
-

East Between Sec. 26 & 35, S. N. R. & E. D.

- 39.22 Set a post on the boundary, from which
a Hickory 5 in. dia. bran 148 E 15 lbs. dist. of
a B. Oak 4 " " 146 W 19 " ".
Land rolling timber same as on last mile
-

North Between Sec. 26 & 27, S. N. R. & E. D.

- 10.62 a Poplar 20 in. dia.
28.78 Set a post on the boundary from which
a Beech 10 in. dia. bran 130 E. 16 lbs. dist. of
a Do 15 " " 161 W 21 " ".
Land timber &c. same as on the last mile
-

North Between Sec. 33 & 34, S. N. R. & E. D.

- 25.00 a Brook 12 lbs. wide Course N. W.
40.00 Set the q. Sec. post, from which
a B. Oak 30 in. dia. bran 1861 lbs. dist. of
a Do 30 " " 150 W 73 " ".
80.00 Set a post cor. to Sec. 27, 28, 33 & 34, from which

374

57 N - R. 24 E. 2^d. Mer. Indiana

an Ironwood 8 in. dia. bran \$32 97 8 lbs. dist. of
a Beech 8 " " 123 8 16 " .
Land rolling, timber Beech, Poplar, Oak & Hickory

East On Rand, between Sec. 27 & 34, 57 N. R. 24 E.

40.00 Set temp. of Sec. post

43.00 a Brook 10 lbs. wide Course S. W.

75.00 a Do 10 " " S. W.

79.63 Intersected the N. of S. line 10 lbs. N. of the post
Land timber &c. same as on the last mile

West On true line between Sec. 27 & 34, 57 N. R. 24 E.

39.81 $\frac{1}{2}$ Set q. Sec. post at average dist. from which
a Hickory 12 in. dia. bran \$19 612 lbs. dist. of
a Do 18 " " 159 8 23 " .

79.63 to Sec. corner

North Between Sec. 27 & 28, 57 N. R. 24 E.

40.00 Set the q. Sec. post, from which

a W. Ash 10 in. dia. bran \$12 97 8 lbs. dist. of
a Hickory 12 " " 165 9 19 " "

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a P. Oak 20 in. dia. bran \$37 6 4 lbs. dist. of
a W. Oak 24 " " 146 8 45 " .

Land timber &c. same as on the last mile

East Between Sec. 27 & 27, 57 N. R. 24 E.

10.64 Set a post on Indian boundary, from which
a Beech 18 in. dia. bran East 36 lbs. dist. of
a Do 15 " " 180 9 31 " .

Land timber &c. same as on the last mile

North Between Sec. 21 & 22, 57 N. R. 24 E.

7.50 Set a post on the boundary, from which
a W. Oak 30 in. dia. bran \$72 97 32 lbs. dist. of
a Dogwood? " " 165 6 14 " .

S.Y.R. R.R. C. 2nd Mer. Indiana

Land timber &c. same as on the last mile

North Between Sec. 32 & 33, S.Y.R.R. C.

40.00 Set two of Sec. post, from which
a Beech 6 in. dia. bran \$48.00 per bushel
a Do 8 " " 113.9726 "

41.72 a W. Oak 15 in. dia.

42.60 a Brook 12 lbs. wide Course S.W.

80.00 Set a post cor. to Sec. 28, 29, 32 & 33, from which
a W. Oak 11 in dia. bran \$139.9728 lbs. dist. of
a P. Oak - " " 179.812 "

Billy thin Soil and brushy, timber scattered.

East Oak Land between Sec. 28 & 33, S.Y.R.R. C.

15.00 a Brook 15 lbs. wide Course S.E.

23.00 a Do - " " Post

40.00 Set temp. of Sec. post

81.00 Intersected the N. of S. line 58 lbs. S. of post

Land timber &c. same as on the last mile

West On true line between Sec. 28 & 33, S.Y.R.R. C.

40.50 Set two of Sec. post at average dist. from which
a Sugar 8 in. dia. bran \$53.9717 lbs. dist. of
a P. Oak 25 " " 184.9729 "

81.00 to Sec. corner

North Between Sec. 28 & 29, S.Y.R.R. C.

40.00 Set two of Sec. post, from which

a W. Oak 20 in dia. bran \$80.9711 lbs. dist. of
a Beech 15 " " 149.827 "

44.08 a Brook 12 lbs. wide Course S.E.

80.00 Set a post corner to Sec. 28, 29, 20 & 21, from which
a W. Oak 18 in dia. bran \$48.00 lbs. dist. of
a Beech 8 " " 149.97 " "

Land, timber &c. same as on the last mile

S. N. R. 1/4 E. 2nd Mer. Indiana

East On Plan & between Sec. 21 & 28, S. N. R. 1/4 E.
 40.00 Set temp. of. Sec. post
 80.39 Intersected the S. line 69th. S. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 21 & 28, S. N. R. 1/4 E.
 40.19 Set the q. Sec. post at average dist. from which
 a B. Oak 4 in. dia. bran. #23 W 31th. dist
 80.39 to Sec. corner

North Between Sec. 20 & 21, S. N. R. 1/4 E. 2nd Mer.
 40.00 Set the q. Sec. post, from which
 a Hickory 6 in. dia. bran. #23 E 9th. dist. of
 an Ironwood 3 " " 157 W 21 " "
 69.00 Set a post on Indian boundary, from which
 a W. Oak 9 in. dia. bran. #80 W 11th. dist. of
 a B. Oak 10 " " 156 E 34 " "
 Land rolling, thin soil, timber &c. same as last mile

North Between Sec. 31 & 32, S. N. R. 1/4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bran. #24 E 24th. dist.
 a Do 3 " " 165 E 14 " "
 56.00 a Brook 12 lbs. wide Course S. E.
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 20 in. dia. bran. #8 E 37th. dist. of
 a Sugar 15 " " 160 E 41 " "
 Land rolling, timber Oak & Hickory.

West Between Sec. 30 & 31, S. N. R. 1/4 E
 18.00 a Brook 12 lbs. wide Course South
 40.00 Set the q. Sec. post, from which
 a Maple 7 in. dia. bran. #33 E 9th. dist. of
 a Hickory 7 " " 151 W 9 " "
 80.62 Intersected the W. boundary at the post
 Hilly thin bushy Soil timber the same

S. N. Plat E. T. Mer. Indiana

East On Rand^m. between Sec. 29 & 32, S. N. R. 4 E.
 7.00 at Brook 10th m. wide Course S.
 40.00 Set tempf. of Sec. post
 80.00 intersected the N. & S. line at the post
 Land timber &c same as on the last mile

West On true line between Sec. 29 & 32, S. N. R. 4 E.
 40.00 Set the of. Sec. post on true line from which
 a W. Oak 12 in. dia. bran. S 26 E 22th m. dist. of
 a Hickory 2 " " " N 30 E 45 " "
 80.00 to Sec. Corner.

North Between Sec. 29 & 32, S. N. R. 4 E.
 40.00 Set the of. Sec. post, from which
 a Beech 8 in. dia. bran. S 36 W 22th m. dist. of
 a Ho. 18 " " " S 58 E 23 " "
 80.00 Let a post cor. to Sec. 19, 20, 29 & 30, from which
 a W. Oak 12 in. dia. bran. S 50 W 21th m. dist. of
 a Ho. 15 " " " S 71 E 10 " "
 Land timber &c same as on the last mile

East On Rand^m. between Sec. 20 & 29, S. N. R. 4 E.
 40.00 Set tempf. of. Sec. post
 73.40 a Brook 12th m. wide Course South
 80.08 intersected the N. & S. line 28th m. S. of post
 Land timber &c same as on the last mile

West On true line between Sec. 20 & 29, S. N. R. 4 E.
 40.04 Set of. Sec. post at average dist. from which
 a W. Oak 12 in. dia. bran. S 32 E 30th m. dist. of
 a Dogwood 5 " " " S 58 W 14 " "
 80.08 to Section Corner

West Between Sec. 19 & 30, S. N. R. 4 E.
 35.00 at Brook 15th m. wide Course S.
 40.00 at Beech 12 in. dia. of. Sec. Corner

375

Sy N R4 E. I. Mer. Indiana

- 41.50 a Brook 10 hrs. wide Course S. E.
 81.16 Intersected the W. boundary 66 hrs. North of
 post Set a post Cor. to Sec. 19 & 30, from which
 a Beech 15 in. dia. bran 140 E 30 hrs. dist. of
 a W. Oak 10 " " 1957 E 22 "
 Land timber etc. same as on the last mile

North Between Sec. 19 & 20, Sy N, R4 E.

- 10.00 a water Course 8 hrs. wide Course S. W.
 40.00 Set the q. Sec. post, from which
 a P. Oak 10 in. dia. bran 124 E 5 hrs. dist. of
 a Do 8 " " 160 H 15 "
 77.50 a Brook 12 hrs. wide Course S. W.
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 20 from which
 a Beech 10 in. dia. bran 142 E 14 hrs. dist. of
 a Do 10 " " 185 H 10 hrs. "
 Thin Soil timber the same as on last mile

East Between Sec. 17 & 20, Sy N, R4 E.

- 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bran 156 H 4 hrs. dist. of
 a Do 10 " " 176 H 28 "
 65.46 Set a post on the Indian boundary, from which
 a W. Oak 10 in. dia. bran 183 E 54 hrs. dist. of
 a Do 20 " " 175 H 50 "
 Land timber etc. same as on the last mile

West Between Sec. 18 & 19, Sy N, R4 E.

- 40.00 Set the q. Sec. post from which
 a W. Oak 10 in. dia. bran 118 E 10 hrs. dist. of
 a Do 20 " " 144 E 22 "
 81.45 Intersected the W. boundary 75 hrs. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 18 in. dia. bran 162 H 14 hrs. dist. of
 a Gum 8 " " 116 H 20 "
 Land timber etc. same as on the last mile

S. N. Rd. C. I.^o Mer. Indiana

- North Between Sec. 17 & 18, S. N. R. C. I.
- 15.70 a B. Oak 18 in. dia.
- 40.00 Set the q. See post from which
a W. Oak 12 in. dia. bray N 72 E 15 lbs. dist. of
a Do 12 " " 164 N 26 " "
- 48.72 Set a post on the Indian boundary, from which
a Gum 7 in. dia. bray N 42 W 15 lbs. dist. of
a W. Oak 12 " " 184 E 13 "
- Sand timber &c. Same as on the last mile

East Between Sec. 7 & 18, S. N. R. C. I.

20.00 a Brook 12 lbs. wide Course

40.00 a B. Oak 20 in. dia. q. Sec. Corner

41.06 Set a post on Indian boundary from which
a Gum 8 in. dia. bray S 34 E 14 lbs. dist. of
a Beech 10 " " 166 E 9 "

Layd hilly thin Soil timber Oak & Hickory
Surveyed By Arthur Henrie, C. S.

Aug. 15th. 1819. variation 6.45' East

North Between Sec. 17 & 18, S. N. R. C. I.

25.50 a W. Oak 15 in. dia. in the line

31.28 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a Hickory 14 in. dia. bray N 21 1/2 W 53 lbs. dist. of
a W. Oak 14 " " 130 E 28 " "

West On Land between Sec. 7 & 18, S. N. R. C. I.

39.80 Intersected Indian boundary 5 lbs. N. of post
Layd hilly timber W. St. Oak & Hickory

East Corrected between Sec. 7 & 18, S. N. R. C. I.

15.45 a W. Oak 15 in. dia. in the line

39.80 to Sec. Corner.

North Between Sec. 7 & 8, S. N. R. C. I. Mer.

10.80 a W. Oak 15 in. dia. in the line

377

S. N. R. & E. I. Mer. Indiana

- 40.00 Set the gr. Sec. post, from which
a P. Oak 6 in. dia. bran. $\frac{1}{2}$ 80 ft. 36 lbs. dist. of
a Hickory 5 " " 17 ft 16 "
- 45.10 a Poplar 36 " in the line
- 65.40 a P. Oak 24 " " "
- 67.00 a small branch 5 lbs. wide Course N.
- 78.50 a do do 5 " " "
- 80.00 Set a post Cor. to Sect. 5, 6, 7, 8, from which
a P. Oak 16 in. dia. bran. $\frac{1}{2}$ 80 ft. 20 lbs. dist. of
a Beech 10 " " 17 ft 15 "
Land hilly & poor, timber W. P. Oak, Hick., etc. no water

West On Land between Sect. 6 & 7, S. N. R. & E.

- 12.50 a branch 20 lbs. wide Course S. N.
40.00 Set temp. gr. Sec. post
41.00 a branch 10 lbs. wide Course 110 ft
80.12 Intersected the N. boundary 421 lbs. S. of post
Land hilly & poor, timber Oaks, Hickory, Beech
etc. Ironwood under ".

East Corracted between Sect. 6 & 7, S. N. R. & E.

- 33.10 a Hickory 24 in. dia. in the line
40.06 Set the gr. Sec. post at average dist. from which
a W. Oak 18 in. dia. bran. $\frac{1}{2}$ 76 ft. 13 lbs. dist. of
a Beech 6 " " 111 ft. 22 "
- 42.00 a W. Oak 15 " in the line
- 80.12 to Sec. Corner

North Between Sect. 5 & 6 S. N. R. & E.

- 5.95 a W. Oak 15 in. dia. in the line
11.00 a branch 20 lbs. wide Course 14 ft.
17.25 a W. Oak 24 in. dia. in the line
40.00 Set the gr. Sec. post, from which
a W. Oak 18 in. dia. bran. $\frac{1}{2}$ 42 ft. 18 lbs. dist. of
a P. Oak 6 " " 18 ft. 27 "
- 84.60 Intersected the N. boundary 555 lbs. N. of post

S⁷N R⁴E. I. Mer. Indiana

Set a post Cor. to Sec. 5 & 6 from which
 a B. Oak 14 in. dia. bears S¹E⁴² ths. dist.
 a Gum 13 " " N¹³E³⁹ " "
 (Description Omitted)

North Between Sec. 20 & 21, S⁷N R⁴E.

10.64 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 12 in. dia. bears S⁸¹W⁷ ths. dist.
 a W. Oak 18 " " N⁸⁹E³⁵ " "

West Between Sec. 17 & 20, S⁷N R⁴E.

14.08 To Corresponding Cor. in the Indian boundary
 (this line was established by intersecting continuing
 the line agreeably to instructions, from corners of
 in the Indian boundary, to their intersection)

North Between Sec. 16 & 17, S⁷N R⁴E. Aug. 16. 1819.

13.65 a W. Oak 18 in. dia.

29.90 a B. Oak 30 " "

40.00 Set the q. Sec. post, from which
 a W. Oak 24 in. dia. bears S³⁵W³³ ths. dist. 8
 a Do 15 " " S⁸⁸W⁴⁴ " "

56.40 a W. Oak 18 in. dia.

66.50 a Creek 15. ths. wide Course East

80.00 Set a post Cor. to Sec. 8, 9, 16, 17, from which
 a W. Oak 14 in. dia. bears S⁸⁰W²⁷ ths. dist. 8

a Do 13 " " S⁴¹E²⁸ " "

Land hilly and poor, timber W. B. Oak & Hickory
 Deadfall thickets

West On Random Between Sec. 8 & 17, S⁷N R⁴E.

30.00 a Creek 15 ths. wide Course S. E.

40.00 Set tempy. q. Sec. post

78.00 Intersected the West boundary 1.42 ch. to the N. of post
 Land hilly and poor, timber W. B. Oak Hickory
 Dogwood very thickely.

379

J. N. R. & E. D. Mer. Indiana

East Corrected Between Sec. 8 & 17 S. 7, T. R. 4 E.

10. 33 a Beech 24 in. dia.

39. 00 Set qf. Sec. post at average dist. from which.

an Ironwood 8 in. dia. bears N 72° E 17 ths. dist. &
a do 8 " " " S 65° W 5 " "

78. 00 To Section Corner.

North Between Sec. 8 & 9. S 7, T. R. 4 E.

27. 50 a Beech 10 in. dia. bears

35. 86 a W. Oak 24 " "

40. 00 Set the qf. Sec. post, from which

a W. Oak 15 in. dia. bears N 80° W 31 ths. dist. &

a do 22 " " " S 70° E 33 " "

42. 50 a W. Oak 24 " "

53 10 a Creek 5 lks. wide Course East

64. 00 a poplar 24 in. dia. in the line

65. 20 a Creek 5 lks. wide Course East

80. 00 Set a post Cor. to Sec. 4, 5, 8 & 9. S 7, T. R. 4 E. from which

a Maple 26 in. dia. bears S 61° W 27 ths. dist. &

a Hickory 18 " " " N 43° E 27 " "

Land hilly and poor timber Oak, Beech, poplar
Dogwood etc.

West On Random Between Sec. 5 & 8. S 7, T. R. 4 E.

40. 00 Set temp. qf. Sec. post

73. 00 a Creek 10 lks. wide Course S. W.

77. 50 Intersected the West boundary 1.10 lks. N. of post

Land hilly and poor timber W. B. Oak, Hickory
Beech &c thick under-growth.

East Corrected Between Sec. 5 & 8. S 7, T. R. 4 E.

32. 00 a W. Oak 24 in. dia.

39. 75 Set qf. Sec. post at average dist. from which

a Beech 8 in. dia. bears N 71° W 3 ths. dist. &

a do 14 " " " N 70° E 31 " "

77. 50 To Section Corner

S.Y. N. R.R. E. 2nd Mer. Indiana

North Between Sec. 4 & 5, S.Y. N. R.R. E.
 13.50 a W. Oak 24 in. dia. in the line
 22.50 a Do 12 " " " "
 40.00 Set the q. Sec. post, from which
 a C. Oak 16 in. dia. bears West 24. ths. dist. \$
 a Do 14 " " " \$40 E 17 " "
 40.50 a C. Oak 24 " " in the line
 40.96 a Do 24 " " " "
 79.00 a Creek 20 lbs. wide Course \$50 H
 83.70 Intersected the North boundary 8.50 lbs. N. of post
 Set a post cor. to Sec. 4 & 5, from which
 a W. Oak 15 in. dia. bears N 55 E 4 ths. dist. \$
 a Do 24 " " " \$11 48 39 "
 Land hilly, timber W. P. & C. Oak Beech some
 thickets of Ironwood. Aug. 17th 1819

North Between Sec. 15 & 22, S.Y. N. R.R. E.
 15.84 a Beech 14 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. dia. bran. N 83° W 20 lbs. dist. \$
 a Beech 10 " " " N 21 E 16 "
 53.00 a Creek 10 lbs. wide Course E.
 75.75 a W. Oak 15 in. dia. in the line
 75.95 a P. Oak 18 "
 80.00 Set a post cor. to Sec. 15, 16, 21 & 22, from which
 a P. Oak 30 in. dia. bran. N 79° W 33 lbs. dist. \$
 a Hickory 12 " " " N 67 E 54 "
 Land poor & very sharp hills, timber W. P. &
 C. Oak, Hickory, Dogwood &c.

West On Land, between Sec. 16 & 21, S.Y. N. R.R. E.
 40.00 Set temp. q. Sec. post
 81.00 Intersected the N. of S. line 170 lbs. N. of post
 Land hilly & poor, timber W. P. & C. Oak, thick
 Under Dogwood & Ironwood.

Comp

S. 7 N. R. 4 E. 2nd Mer. Indiana

East Corrected between Sec. 16 & 21, S. 7 N. R. 4 E.
 20.20 a W. Oak 14 in. dia. in the line
 40.50 Set the q. Sec. post at average dist. from which
 a W. Oak 24 in. dia. bears N 31° E 44¹/₂ ch. dist. of
 a Do 18 " " " 142° E 17 " "
 55.55 a W. Oak 18 " " in the line
 81.00 to Sec. Corner.

Comp

North Between Sec. 15 & 16, S. 7 N. R. 4 E.
 33.10 a W. Oak 12 in. dia. in the line
 40.00 Set the q. Sec. post from which
 a Hickory 5 in. dia. bears N 41° E 14¹/₂ ch. dist. of
 a Do 8 " " 141° W 2 " "
 44.00 a Branch 20 ch. wide Course East
 58.12 a B. Oak 30 in. dia. in the line
 74.80 a Hickory 18 " " " "
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Hickory 12 in. dia. bears S 65° W 15 ch. dist. of
 a Dogwood 6 " " " N 78° E 10 " "
 Land poor and scarcely any timber thick underg.
 of lackfrap the timber remaining W. & B. Oak
 Hickory &c.

West On Random Between Sec. 9 & 16, S. 7 N. R. 4 E.
 40.00 Set tempq. of Sec. post.
 68.00 a Creek 5 chs. wide Course South
 80.58 Intersected the N. & S. line 1.65 chs. N. of post
 Land poor timber W. & B. Oak principally killed by fir.

East Corrected Between Sec. 9 & 16, S. 7 N. R. 4 E.
 1.50 forked B. Oak 30 in. dia.
 19.23 a W. Oak 24 " " "
 40.29 Set q. Sec. post at average dist. from which
 a W. Oak 24 in. dia. bears N 34° W 4 chs. dist. of
 a Do 28 " " " 842° E 7 " "
 88.58 to Section Corner.

S7 N R24 E. 2^d. Mer. Indiana

- North Between Sec. 9 & 10. S7 N. R24 E.
10. 80 a Creek 10 chs. wide Course S. E.
40. 00 Set theg Sec. post, from which
a Gum 14 in. dia. bears N 23° W 64 chs. dist. &
a Hickory 8 " " " S 1 W 45 "
73. 80 a W. Oak 24 " in the line
80. 00 Set a post Cor. to Sec. 3, 4, 9, & 10. from which
a W. Oak 24 in. dia. bears S 47° E 47 chs. dist. &
a Do 14 " " " S 50° W 20 "

Land poor and timber thinly scattered mostly killed
by fire very hilly thick undergrowth of Black
Sassafras of grape vines.

West On Random Between Sec. 4 & 9. S7 N. R24 E.

40. 00 Set temp. J. qf. Sec. post
59. 00 a Creek 8 chs. wide Course South
80. 50 Intersected the N. & S. line 1. 70 chs. North of post.
Land hilly and extremely poor timber W. Oak
B. Oak Hickory Gum thick undergrowth of B. Jack & Sassafras

East Corrected Between Sec. 1 & 9. S7 N. R24 E.

8. 20 a B. Oak 24 in. dia. in the line
20. 50 a Do 24 " " " "
40. 25 Set qf. Sec. post. at average dist. from which
a B. Oak 30 in. dia. bears S 75° E 31 chs. dist. &
a Do 18 " " " N 43° E 55 "
80. 50 To Section Corner

North Between Sec. 3 & 4. S7 N. R24 E.

22. 50 a W. Oak 30 in. dia. in the line
28. 20 a Do 14 " " " "
32. 25 a Creek 5 chs. wide Course East
40. 00 Set the qf. Sec. post. from which
a W. Oak 36 in. dia. bears S 11° W 21 chs. dist. &
a Do 10 " " " N 7° W 51 "
60. 00 a Creek 5 chs. wide Course East

383

Sy N R 4 E. I. Mer. Indiana

- 82.21 Intersected the S. Boundary 800 ft. N. of post
Set a post Cor. to Sec. 3 & 4, from which
a W. Oak 12 in. dia. bran N 57° E 39 ft. dist. of
a Do 18 " " 143 ft 28 "
Land hilly & poor, timber W. & B. Oak, Gum mostly killed
by fire, thick Sassafras & B. Jack undg. thickets.
-

- North Between Sec. 26 & 27, Sy N R 4 E. I. Mer.
28.64 passed boundary, having measured this line
from Cor. of Sec. 26, 27, 34 & 35, twice and found it
28.64 instead of 22.78 as returned by Mr. Henrie.
40.62 Set the gr. Sec. post at average dist. from which
a Beech 14 in. dia. bran N 30° E 24 ft. dist. of
a Do 11 " " 111 ft 44 "
66.00 a W. Oak 18 " in the line Aug. 18. 1819
73.60 a W. Oak 14 " " "
81.24 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
a Gum 6 in. dia. bran S 80° E 19 ft. dist. of
a Beech 12 " " 125 ft 17 "
Land poor & very hilly, timber Oak, Beech &c.
-

- West Between Sec. 22 & 27, Sy N R 4 E. I. Mer.
39.20 Set the gr. Sec. post at average dist. from which
a Chest. Oak 12 in. dia. bran N 48° E 38 ft. dist. of
a Do 18 " " 187 ft 7 1/2 "

- 78.40 to Cor. to Sec. 21, 22, 27 & 28.
Land hilly high & sharp, timber Chest. Oak, W.
Oak, Beech, Gum & Dogwood, Ironwood undg.
(Both the foregoing lines were measured twice
over in order to find the true distance)
-

- North Between Sec. 22 & 23, Sy N R 4 E.
5.80 a Red Oak 14 in. dia. in the line
25.00 a Chest. Oak 15 " " " "
37.50 a W. Oak 28 " " " "
40.00 Set the gr. Sec. post, from which

S. N. R. 4 E. 2nd Mer. Indiana

a Beech 12 in. dia. bran. N 61 E 27 lbs. dist. of
 a Do 14 " " N 44 W 36 " "
 60.20 a P. Oak 14 " " in the line
 67.00 a Hickory 14 " " "
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 15 in. dia. bran. N 14 W 14 lbs. dist. of
 a Do 14 " " 166 E 17 "
 Land very hilly & poor, timber W. I. B. & C. Oak,
 Hickory, under Dogwood & Bonwood

Nest On Stand between Sec. 15 & 22, S. N. R. 4 E.

10.00 a Creek 15 lbs. wide Course N 20 E.

40.00 Set temp. p. g. Sec. post

78.49 Intersected the N of S. line 53 lbs. S. of post
 Land since crossed branch first half mile
 level, Beech, W. Oak & Poplar, good D². rate,
 the residue poor & hilly, timber W. I. B. & C. Oak &c.

East Corrected between Sec. 15 & 22, S. N. R. 4 E.

13.80 a Hickory 15 in. dia. in the line

39.24 S. Set two q. Sec. post, at average dist. from which
 a W. Oak 14 in. dia. bran. N 23 1/2 W 28 lbs. dist. of
 a Beech 14 " " 133 E 31 "

78.49 to Sec. corner

North Between Sec. 14 & 15, S. N. R. 4 E.

9.00 a Creek 15 lbs. wide Course E.

40.00 Set two q. Sec. post, from which

a Sugar 12 in. dia. bran. 157 E 38 lbs. dist. of

a Dogwd. 4 " " 19 E 26 " "

42.90 a Beech 18 " " in the line

56.50 a Creek 20 lbs. wide Course E.

63.43 a Beech 17 in. dia. in the line

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 an Ash 8 in. dia. bran. N 35 E 66 lbs. dist. of
 a Do 4 " " 142 E 12 "

Sy N R 24 E. I^o. Mer. Indiana

Land 1st. $\frac{1}{2}$ mile rolling & pretty 2nd. rate,
residue Level & 2nd. rate, timber Beech, Poplar
W. B. Oak, andg. Red bud & Willowwood

West On Plan 8m. between Sec. 10 & 15, Sy N. R 24 E.

40.00 Set tempy. of. Sec. post

62.00 a Creek 15 lbs. wide Course N.E.

78.35 Intersected the N & S. line 33 lbs. S. of corner
Land poor & Scarcely any timber, Hazel thickets
Black Jack & Grape vines nearly all the distance

East Corrected between Sec. 10 & 15, Sy N. R 24 E.

39.17 $\frac{1}{2}$ set of. Sec. post at average dist. in the middle
of a vast thicket no timber within q. of a mile
large enough for bearing trees.

78.35 to Sec. corner.

North Between Sec. 10 & 11, Sy N. R 24 E. I^o. Mer.

24.40 a W. Oak 30 in. dia. in the line

34.00 a Creek 10 lbs. wide Course East

40.00 Set the qf. Sec. post, from which
a Hickory 14 in. dia. bran. N 42 97' 31 lbs. dist. of
a W. Oak 24 " " " N 44 97' 31 "

80.00 Set a post cor. to Sec. 2, 3, 10 & 11, from which
a Hickory 4 in. dia. bran. N 7 $\frac{1}{2}$ E 63 lbs. dist.
no other timber it being in the middle of a
huge thicket Scarcely any timber last mile
all killed by fire, Some Oak, Hickory, Elm & Beech
along the gullies. August 19. 1819

West On Plan 8m. between Sec. 3 & 10, Sy N. R 24 E.

40.00 Set tempy. of. Sec. post

78.38 Intersected the N & S. line 50 lbs. S. of post

Land mostly poor & almost destitute of timber
by wind or fire, Some W. B. Oak, Elm & Hickory
thinly scattered, abominable thickets of Black Jack & Grapes.

S. N. R. 1 E. 2nd Mer. Indiana

East Connected between Sec. 3 & 10, S. N. R. 1 E.

39.19 Set at sec. post at average dist. from which
a Gum 14 in. dia. bran 152 E 50 lbs. dist.
no other timber near.

78.38 to Sec. Corner.

North Between Sec. 2 & 3, S. N. R. 1 E.

7.00 a W. Oak 24 in. dia. in the line
33.70 a W. Oak 24 " " " "
35.50 a Creek 10 lbs. wide course E.
40.00 Set at sec. post, from which
a Gum 18 in. dia. bran 189 H 20 lbs. dist. of
a Beech 6 " " " 117 H 14 " "
46.45 a W. Oak 26 " " in the line
65.00 a branch 8 lbs. wide course E.
81.90 Intersected the N. boundary 10.32 lbs. N. of post
Set a post Cor. to Sec. 2 & 3, from which
a W. Oak 10 in. dia. bran 163 1/2 E 74 lbs. dist. of
a Gum — " " " 141 H 38 "
Sand hilly & poor. W. Oak, B. Oak, Hickory,
Beech, Sassafras, B. Jack under ^{the}.

August 20th 1819

North Between Sec. 35 & 36, S. N. R. 1 E.

8.74 passed boundary (Commenced at g. Sec. corner)
40.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
a W. Oak 12 in. dia. bran 171 E 19 lbs. dist. of
a Do 18 " " " 155 1/2 H 26 "
Sand hilly very high & sharp, timber W. Oak,
& Chest. Oak, Hickory, Dogwood, Black Jack
& Red Bud under ^{the}.

West On Land between Sec. 26 & 35, S. N. R. 1 E.

26.00 a branch 5 lbs. wide course S.

40.00 Set tempy. g. Sec. post

79.94 Intersected the N. of S. line 30 lbs. S. of post

S. N. P. L. C. T. Mer. Indiana
(Description of Land &c. Omitted)

East Corrected between Sec. 26 & 35, S. N. R. 4 E.
39.97 Set q. Sec. post at average dist. from which
a P. Oak 4 in. dia. bran. N 52 W 71 lk. dist. of
a Hickory 3 " " N 87 E 10 " "
79.94 to Sec. corner.

East Between Sec. 25 & 36, S. N. R. 4 E.
11.96 a Beech 12 in. dia. ~~in~~ in the line
17.50 a Do 20 " " " "
34.15 a W. Oak 18 " " " "
40.00 Set the q. Sec. post, from which
a W. Oak 30 in. dia. bran. N 14 W 21 lk. dist. of
a Beech 12 " " " 138 E 25 " "
66.65 a W. Oak 24 " " in the line
87.74 Intercepted the E. boundary 37 lk. S. of post
Set a post Cor. to Sec. 25 & 36, from which
a W. Oak 26 in. dia. bran. N 16 W 23 lk. dist. of
a Beech 10 " " " 116 E 48 " "
1st. 1/2 mile hilly & poor, timber Ch. off P. Oak
& Beech - last 1/2 mile level, timber Beech, Gum
W. Oak &c. mixt.

North Between Sec. 25 & 26, S. N. R. 4 E.
18.90 a P. Oak 24 in. dia. in the line
40.00 Set the q. Sec. post, from which
a W. Oak 18 in. dia. bran. North 2 lk. dist. of
a Do 24 " " " 14 1/2 E 42 1/2 " "
57.50 a branch 8 lk. wide Course E.
60.05 a Hickory 15 in. dia. stand, in the line
79.40 a Beech 14 in. dia. in the line
80.00 Set a post Cor. to Sec. 23, 24, 25, 26, from which
a Beech 14 in. dia. bran. N 65 W 38 lk. dist. of
a Do 14 " " " 11 W 21 1/2 " "
1st. 1/2 mile huge hilly & poor, timber Ch. W. Oak,

S.Y. N.Y.C. & E. I. Mer. Indiana

B. Jack - last $\frac{1}{2}$ mile flat land, timber Beech, Gum, Spanish Oak &c. Dogwood Water Beech, undergrowth.

West On Rand. between Sec. 23 & 26, S.Y. N.Y.C. E.

40.00 Set temp. of sec. post

79.50 intersected the N. & S. line 21 $\frac{1}{2}$ hr. S. of post
Land uncommonly hilly high & sharp, poor
timber Chestnut Oak, Beech, Ironwood &
Dogwood undergrowth.

East Corneted between Sec. 23 & 26, S.Y. N.Y.C. E.

39.75 Set of sec. post at average dist. from which
a P. Oak 4 in. dia. bran 180 $\frac{1}{2}$ ft. dist.
a Do 4 " " 189 $\frac{1}{2}$ ft. "

79.50 to Sec. corner.

East Between Sec. 24 & 25, S.Y. N.Y.C. E.

1.88 a W. Oak 18 in. dia. in the line

7.00 a branch 8 $\frac{1}{2}$ hr. wide Consist N.

8.00 a Do 8 " " S.

18.50 a Do 8 " " N.E.

19.70 a W. Oak 30 in. dia. in the line

40.00 Set the gr. sec. post, from which
a W. Oak 14 in. dia. bran 189 $\frac{1}{2}$ ft. dist.
a Hickory 6 " " 188 $\frac{1}{2}$ ft. "

80.65 a Hickory 20 " " in the line

87.65 a P. Oak 20 "

87.93 intersected the E. boundary 20 $\frac{1}{2}$ hr. S. of post

Set a post Cor. to Sec. 24 & 25, from which

a Maple 18 in. dia. bran 113 $\frac{1}{2}$ ft. 15 $\frac{1}{2}$ hr. dist.
a Do 12 " " 144 $\frac{1}{2}$ ft. 20 "

$\frac{1}{2}$ mile hilly, timber Oak, Hickory - last $\frac{1}{2}$
mile flat timber Beech, Gum, Oak, Greenbriar
undergrowth.

S7 N - R24 E. I. Mer. Indiana

- North Between Sec. 23 & 24, S7 N, R24 E.
15. 65 a Hickory 24 in. dia. in the line
24. 00 a Creek 10 chs. wide Course East
26. 08 a W. Oak 18 in. dia. in the line
48. 00 a Do. 24 " " "
56. 00 a Creek 5 chs. wide Course East
61. 20 a Beech 14 in dia. in the line
74. 08 a W. Oak 23 " " "
- 75 44 a Do 24 " " "
80. 00 Set a post Corner to Sec. 13, 14, 23 & 24, from which
a Beech 15 in. dia. bears N 57° W 41. chs. dist. &
a Do 15 " " " S 21° W 24 " "
Land rolling timber Beech W. Oak Hickory Poplar
and Ash - undergrowth Dogwood & Beech.

- West On Random Between Sec. 14 & 23, S7 N, R24 E.
40. 00 Set tempy. q. Sec. post.
79. 20 Intersected the N. & S. line 70 chs. North of post
Land hilly steep and very poor timbered with W. & G.
Oak Hickory Dogwood & Ironwood undergrowth Beech
Hickory grapes &c.

- East Corrected Between Sec. 14 & 23, S7 N, R24 E.
4. 58 a W. Oak 18 in. dia. in the line
37. 70 a Do 24 " " "
39. 60 Set q. Sec. post at average dist. from which
a Hickory 4 in. dia. bears S 54° W 6° chs. dist. &
a W. Oak 14 " " " S 65° E 33 " "
79. 20 to Section Corner

- East Between Sec. 13 & 24, S7 N, R24 E. Aug. 21. 1819
5. 50 a W. Oak 18 in. dia. in the line
24. 85 a Beech 24 " " "
40. 00 Set q. Sec. post. from which
a Beech 8 in. dia. bears N 21° E 22 chs. dist. &
a Do 15 " " " South 15 " "

S7N R8E E. 2nd Mer. Indiana

41. 00 a B. Oak 28 in. dia. in the line
 48. 33 a Hickory 26 " " "
 66. 00 a Creek 10 chs. wide Course South
 89. 50 Intersected the E. boundary 19 chs. South of post
 Set a post Cor. to Sec. 13 & 14, from which
 a W. Oak 12 in. dia. bears S 53° W 4 chs. dist. &
 a do 14 " " N 13° E 16 " "
 Land Ridge timber Beech W. & B. Oak, Hick. & Dog.
-

North Between Sec. 13 & 14, S7N R8E.

24. 70 a Hickory 14 in. dia. ⁱⁿ line -
 48. 00 Set the of. Sec. post from which
 a Beech 6 in. dia. bears South 2 chs. dist. &
 a do - " " N 6° W 41 " "
 62. 70 a Hickory 36 .. in the line
 80. 00 Set a post. Corner to Sec. 11, 12, 13 & 14, from which
 an Elm 18 in. dia. bears N 51° W 7½ chs. dist. &
 a sugar - " " N 45° E 32 " "
 Land Rolling & 2nd rate timber Beech poplar W. Oak
 Hickory Ash. Some sugar tree -
-

West On Random Between Sec. 11 & 14, S7N R8E.

32. 00 a Creek 50 chs. wide Course N 10° E.
 79. 35 Intersected the N. & South line. 70 chs. N. of post
 Land and timber as on the last mile. Only a flat
 Beech Bottom which overflows
-

East Corrected Between Sec. 11 & 14, S7N R8E.

32. 55 a W. Oak 18 in. dia. in the line
 39. 67 Set of. Sec. post at average dist. from which
 a Beech 24 in. dia. bear N 10° W 10 chs. dist. &
 a do 8 " " S 6° E 28 " "
 79. 35 to Section Corner
-

East Between Sec. 12 & 13, S7N R8E.

12. 90 a Beech 19 in. dia. ⁱⁿ line -

391

Sy N - R. 4 E. 2^d. Mer. Indiana

40. 00 Set the qf. Sec. post, from which
a Beech 10 in. dia. bears S 8 E 8 lbs. dist. &
a do 14 " " " N 7 1/2 E 32 " "
74. 30 a W. Oak 18 " in the line
89. 47 Intersected the E. boundary of the North of post
Set a post cor. to Sec. 12 & 13, from which
a Poplar 10 in. dia. bears N 7 1/2 E 17 lbs. dist. &
a Beech 10 " " " S 31 1/2 W 29 .
Land along this line generally level timber W. Oak
Beech & Poplar 2^d. rate Open woods.
-

- North Between Sec. 11 & 12 Sy N. R. 4 E.
4. 40 a Poplar 24 in. dia. in the line
7. 40 a Creek 5 lbs. wide Cours West
26. 75 a Beech 14 in. dia. in. the line
37. 50 a Creek 5 lbs. wide Cours East
40. 00 Set the qf. Sec. post, from which
a Beech 12 in. dia. bears S 7 1/2 W. 54 lbs. dist. &
a Boxelder 8 " " " S 7 1/2 W 10 . "
77. 30 an Elm 26 in. dia. in the line
80. 00 Set a post cor. to Sec. 1. 2. 11 & 12, from which
a Beech 9 in. dia. bears N 11 1/2 W 15 lbs. dist. &
a do 9 " " " S 4 1/2 W 13 " "
Land and timber as on the last mile
-

- West On Random Between Sec. 2 & 11. Sy N. R. 4 E.
40. 00 Set temp. qf. Sec. post
79. 20 Intersected the A. & S. line 1.5 lbs. N. of post
Land hilly but pretty good for first 1/2 mile then
poor and thickly timbered as before.
-

- East Corrected Between Sec. 2 & 11. Sy N. R. 4 E.
11. 94 a B. Oak 28 in. dia. in the line
24. 18 a W. Oak 18 " " " "
39. 60 Set qf. Sec. post at average dist. from which
a W. Oak 9 in. dia. bears N 83 1/2 W 3 lbs. dist. &

S. N. R. & E. T. Mer. Indiana

a Beech 9 in. dia. bears N 34° E 2 lks. dist.
79. 20 To Section Corner

- East Between Sect. 1 $\frac{1}{4}$ 12, S. N. R. & E.
5. 12 a Beech 14 in. dia. in the line
5. 50 a Creek 25 lks. wide South
24. 94 a Beech 12 in. dia. in the line
40. 00 Set of Sec. post, ^{on bank of branch} 50 lks. wide course N.E.
a Sycamore 30 in. dia. bears N 49° W 26 lks. dist. &
an Elm 18 " " \$86 47 31 .. "
40. 50 a Creek 50 lks. wide Course N. E.
56. 00 Same " " South
62. 07 Same " " North
79. 50 a Beech 14 in. dia. in the line
89. 94 Intersected the E. boundary qds. South of post
Set a post Cor. to Sect. 1 $\frac{1}{4}$ 12, from which
a Beech 12 in. dia. bears West of lks. dist. &
a Dr. 18 " " \$65 67 20 .. "
Land low & wet timber, Beech, Elm, Ash, Sycamore
&c. Spruce underg. Aug. 22. 1819

North Between Sect. 1 $\frac{1}{4}$ 2, S. N. R. & E.

6. 50 a Creek 10 lks. wide Course S 70° E.
16. 35 a Beech 14 in. dia. in the line
40. 00 Set the q. Sec. post, from which
a W. Oak 14 in. dia. bears S 47° W 16 lks. dist. &
a Beech 5 " " N 42° E 35.. .
45. 62 a W. Oak 18 " " in the line
79. 64 Intersected the N. boundary 11. 60 lks. N. of post
Set a post Cor. to Sect. 1 $\frac{1}{4}$ 2, from which
a W. Oak 12 in. dia. bear S 83° E 41 lks. dist. &
a Gum 18 " " \$46 47 38.. .
Land level, timber Beech, Gum W. Oak Elm &c.
Open woods. 2^o. rate.

Surveyed By A. C. Cooker, L. S.

Comp.

I certify, that the foregoing transcript of field notes
of Township N.^o. 7 North, Range N.^o. 4 E. D.^o Mer. Indiana
has been compared with the original notes in this office
and found to be correct.

Surveyor General's Office
Cincinnati, July 5th 1845

P. S. Peckins
Supt. Gen'l.